Coconut Rhinoceros Beetle Response Update October 16-29, 2016

Detections

- On Base (All DOD property on Oahu; including Joint Base Pearl Harbor-Hickam (JBPHH))
 - 32 adults detected (of 2,890 adults detected since 12/23/2013).
- Off Base:
 - 15 adults detected (of 383 adults detected since 12/23/2013).

Surveillance & Trapping

- Investigation into possible breeding sites continues within established buffer zones.
- o 3,488 trap services conducted on 3,273 total traps during this reporting period.
- New panel traps installed at Laie (1), North Shore (2), Kapolei Golf Course (7),
 Waianae (7) and Waikele Golf Course (4).
- Mulch/breeding site surveys/resurveys at Pearl City Peninsula (3 larvae, 2 3rd instar, 1 adult), Pearl City Urban Garden, City & County PC Baseyard, Ahuimanu Elementary School all but PCP negative for CRB.
- Palm trimming/removal inspections conducted at Hawaii Prince Golf Course (1 adult CRB detected) all others negative for CRB.
- Palm damage survey/resurvey conducted at PC Urban Garden (7 damaged palms), Iroquois Point (41 damaged palms), Laie Shopping Center, Waihuena Farms, and Waikele GC – negative for CRB damage.

Mitigation & Outreach

- 57 members of the public interacted with in the field during this reporting period.
- 20 public reports responded to during this reporting period.
- o 6 businesses were interacted with in the field during this reporting period.
- Presentations made at Campbell High School (185), Kids for a Cause (100),
 Cub/Boy Scouts (50), Pearl City Urban Garden Master Gardeners (25) and HNL
 International Airport maintenance crew (15).
- Participated in bi-weekly military updates at JBPH-H and bi-weekly CRB interagency meetings.

Research

 Research is still underway to better understand the cyclic nature of weekly, monthly, and annual trap capture rates.

• Beetle Fact

o Key Diagnostics/Identification: CAPS-Approved Method: Morphological.